



EasyOne

worldspirometer with USB Cradle and Hewlett Packard Printer

The EasyOne Spirometer with USB Cradle includes a Hewlett Packard Colour Printer for stand-alone use. A4 Spirometry Reports are printed directly to the Hewlett Packard Printer via the USB Cradle without having to utilise or interface with a computer.

This version is well suited to applications where the user must go to the patient i.e. Hospital Wards, Emergency Departments, Pulmonary Rehabilitation Units, Community Health Centres, Field Testing and Sports Medicine where you have multiple users and simplicity is the key.

The measured parameters are: **FVC, FEV1, FEV1/FVC, FEV6, FEV1/FEV6, FEF25-75, FEF25, FEF50, FEF75, PEF, FIVC and PIF.** FVL Test (Additional to FVC): **FIVC, PIF, FIF25, FIF50, FIF75.** SVC Test: **VCmax, VCin, VCex, IC, ERV, IRV, VT, Rf.** MVV Test: **MVV and BPM.**

Features

- Stand Alone Instrument
- 700 Test Memory
- Direct print to Hewlett Packard Printer (Package includes a HP Office-Jet Printer or a HP Lightweight Portable Printer can be included at additional cost)
- Comprehensive A4 Reports on Plain Paper
- No need for computers (but may be linked easily)
- Flow-volume loop on-screen
- Tidal breathing selectable for flow-volume loop
- Carry your laboratory to the patient without compromising accuracy
- No warm up time, No pre-testing preparation
- No Calibration
- No Maintenance

PRODUCT CODE **ND2001-4**



EasyOne-line

worldspirometer with USB Line Cable and EasyWare Software

The EasyOne Spirometer with USB Line Cable and EasyWare Software allows Real-Time spirometry on a PC or laptop computer. The EasyOne Spirometer can also be used stand-alone and the full results uploaded to the EasyWare Software at a later stage.

This version is well suited to office / practice or clinic based solutions with few users.

The measured parameters are: **FVC, FEV1, FEV1/FVC, FEV6, FEV1/FEV6, FEF25-75, FEF25, FEF50, FEF75, PEF, FIVC and PIF.** FVL Test (Additional to FVC): **FIVC, PIF, FIF25, FIF50, FIF75.** SVC Test: **VCmax, VCin, VCex, IC, ERV, IRV, VT, Rf.** MVV Test: **MVV and BPM.**

Features

- Real-Time Spirometry on PC or laptop computer with EasyWare Software
- EasyOne spirometer is also portable with 700 Test Memory
- Tidal breathing selectable for flow-volume loop
- Trending of patient results over time
- Child Incentive Screen in EasyWare Software
- Automatic Quality Control with manual override for the selection of best test from 8 pre and 8 post bronchodilator trials in the EasyWare Software
- Automatic Data Synchronisation to the EasyWare software
- No Calibration
- No Maintenance

PRODUCT CODE **ND2001-4S**



Easy on-PC

New Standard in PC-based Spirometry

The Easy on-PC utilises the same proven digital ultrasonic flow measurement technology, which ensures accurate results, repeatable performance and quality control with no moving parts and does not require calibration or maintenance.

The standard measured parameters are: **FVC, FEV1, FEV1/FVC, FEV6, FEV1/FEV6, FEF25-75, FEF25, FEF50, FEF75, PEF, FIVC and PIF** with each individual parameter able to be selected or deselected for testing and reporting. FVL Test (Additional to FVC): **FIVC, PIF, FIF25, FIF50, FIF75**. SVC Test: **VCmax, VCin, VCex, IC, ERV, IRV, VT, Rf**.

MVV Test: **MVV and BPM**. In addition you can also choose to select and measure the following parameters: **FEV 0.5, FEV 0.5/FVC, FEV 0.75, FEV 0.75/FVC** and many others.

** Note that the Easy on-PC has no stand-alone capability. It must be used with a PC or laptop computer.*

Features

- PC guided spirometry
- Patient centred database
- Biological control check feature
- Tidal breathing selectable for FVC and FVL
- Inspiratory and expiratory real-time curve
- Trending of patient results over time
- Actualised Fletcher curve on report
- Automatic Quality Control user selection for best trial from 8 pre and 8 post bronchodilator trials
- No Calibration
- No Maintenance

PRODUCT CODE **ND2700-3**



Spirette

New Standard in Spirometry Consumable for Safety, Accuracy and Convenience

Single patient use application for hygiene, accuracy and convenience. The Spirette contains bacterial filter membranes to prevent cross contamination between patients.

Features

- Bacterial filter membranes
- Ergonomic oval mouthpiece shape for excellent mouth / lip seal
- The EasyOne ultrasonic sensors are built into the spirometer and are protected by the Spirette
- Children aged from 4 years can successfully perform high quality spirometry with the Spirette and the EasyOne spirometer
- Spirettes are available individually wrapped in a box of 50 or unwrapped, loose in a box of 75

PRODUCT CODE (BOX 50) **ND2050-1**

PRODUCT CODE (BOX 75) **ND2050-6**

